Journal of
# APPLIED POLYMER SCIENCE

Volume 54, 1994

**EDITOR**
**Eric Baer**
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

**FOUNDING EDITOR**
**Herman F. Mark**

**ASSOCIATE EDITORS**

**Clive Bosnyak**
Polycarbonate Research
Dow Chemical U.S.A.
B-1470A
Freeport, TX 77541

**Stam G. Mylonakis**
54 Wilshire Drive
Belle Mead, NJ 08502-5521

**Brian W. Pengilly**
Goodyear Tire &
Rubber Company
P.O. Box 3531
Akron, OH 44309-3531

**Debra Wilfong**
Memory Technologies
Group
3M Company
3M Center/236-3C-O2
St. Paul, MN 55144-1000

**ADVISORY BOARD**

**B. M. Baysal**
**N. M. Bikales**
**W. Bonfield**
**S. H. Carr**
**M. E. Carrega**
**R. E. Cohen**
**J. R. Collier**
**J. M. G. Cowie**
**A. Crowson**
**J. A. Cuculo**
**J. M. DeSimone**
**A. T. DiBenedetto**
**G. W. Ehrenstein**
**M. S. El-Aasser**
**F. Garbassi**
**P. H. Geil**
**W. Glasser**
**I. R. Harrison**
**A. Hiltner**
**R. Ikeda**
**S. H. Kandil**
**J. L. Kardos**
**A. Keller**
**F. N. Kelley**
**L. Konczol**
**M. Kryszewski**
**J. L. Leblanc**
**L. Manring**
**K. Matsushige**
**K. A. Mauritz**
**G. Mayer**
**J. W. Mays**
**T. J. McCarthy**
**R. D. Miller**
**C. L. Myers**
**L. Nicolais**
**I. Noda**
**M. M. O'Mara**
**N. Ogata**
**E. F. Oleynik**
**M. S. Parthasarathy**
**D. R. Paul**
**N. A. Peppas**
**N. A. Plate**
**G. Poehlein**
**R. S. Porter**
**R. E. Prud'homme**
**M. Raab**
**L. Rebenfeld**
**F. Rodriguez**
**A. Rudin**
**R. Salovey**
**M. Sawamoto**
**L. Shi**
**A. Siegmann**
**A. W. Snow**
**L. H. Sperling**
**D. R. Squire**
**S. Tripathy**
**R. Vera-Graziano**
**I. M. Ward**
**J. L. White**
**G. Wilkes**
**K. J. Wynne**

**Editorial Production, John Wiley:** Glenn Beck, Sheila Kaminsky

The *Journal of Applied Polymer Science* (ISSN 0021-8995) is published weekly, four volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Copyright © 1994 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under secton 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, (508) 744-3350, fax (508) 745-9379. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

**Subscription price (Volumes 51–54, 1994):** $4,692.00. in US, $5,242.00 in Canada and Mexico, $5,448.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for change of address. For subscription inquiries, please call (212) 850-6645.

**Postmaster:** Send address changes to *Journal of Applied Polymer Science,* Susan Malawski, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

**Advertising/Sales:** Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO19 1UD, England.

**Other Correspondence:** Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Applied Mechanics Reviews, Chemical Abstracts, Chemical Titles, Current Contents/Engineering, Technology, and Applied Sciences, Current Contents/Physical, Chemical, and Earth Sciences, Engineering Index, Excerpta Medica, RAPRA Abstracts, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI).*

**This journal is printed on acid-free paper**

# Journal of Applied Polymer Science

## Author Index to Volume 54


**Abe, T.** See Tsujita, Y., 1297

**Abhiraman, A. S.** See Akki, R., 1263

**Abu Elez, M.** See Amin, M., 1587

**Achilias, D. S.** See Kiparissides, C., 1423

**Achorn, P. J.**
—; Ferrillo, R. G.: Comparison of Thermal Techniques for Glass Transition Measurements of Polystyrene and Crosslinked Acrylic Polyurethane Films, 2033

**Aihara, Y.** See Teverovsky, J. B., 497

**Akcelrud, L.** See Bielsa, R. O., 2125

**Akin-Öktem, G.**
—; Tinçer, T.: Preparation and Characterization of Perlite-Filled High-Density Polyethylenes. I. Mechanical Properties, 1103
—; Tinçer, T.: Preparation and Characterization of Perlite-Filled High-Density Polyethylenes. Part II. Thermal and Flow Properties, 1115

**Akki, R.**
—; Desai, P.; Abhiraman, A. S.: Morphological Implications of Phase Transitions in Polymer Solutions: Study of Polyacrylonitrile-Based Solutions, 1263

**Ali, K. M. I.**
—; Khan, M. A.; Zaman, M. M.; Hossain, M. A.: Reactive Diluent Effect on Properties of UV-Cured Films, 309
—; Uddin, M. K.; Bhuiyan, M. I. U.; Khan, M. A.: Improvement of Jute Fiber Through Ultraviolet-Cured Films of Urethane Acrylate, 303

**Allara, G.** See Tsukada, M., 507

**Al-Sheikhly, M.**
—; Farahani, M.; Bowen, R. L.: Polymerization Initiation by *N*-*p*-Tolylglycine: Free-Radical Reactions Studied by Pulse and Steady-State Radiolysis, 1049

**Alvarez, C.**
—; Bertorello, H.; Strumia, M.: Preparation of New Synthetic Hydrogels Containing Galactose, Applicable in Affinity Chromatography, 1887

**Ambrosio, L.** See Iannace, S., 1525

**Amin, M.**
—; Darwish, K. A.; Mounir, M.; Abu Elez, M.: Thermally Stimulated Current and Effect of Annealing on the Electrical Properties of Cellulose Nitrate, 1587

**Antony, R.**
—; Pillai, C. K. S.: Synthesis and Thermal Characterization of Chemically Modified Phenolic Resins, 429

**Apekis, L.** See Spathis, G., 831

**Arumugam, V.** See Somanathan, N., 1537

**Ashida, K.** See Kashiwame, J., 477

**Askari, F.** See Omidian, H., 241, 251

**Athalye, A. R.** See Shukla, S. R., 279

**Baillet, A.** See Yagoubi, N., 1043

**Balke, S. T.** See Mourey, T. H., 1455

**Banks, W. B.** See Rozman, H. D., 191

**Barbosa, A. P.** See Neuse, E. W., 57

**Barros, M. L.**
—; Scarparo, M. A. F.; Keil, A.; Gerck, E.; Hurtak, J. J.: Stereolithography with Thermosensitive Resins Using a $CO_2$ Laser (Note), 1575

**Barsola, R.** See Kaur, I., 1131

**Bartczak, Z.**
—; Galeski, A.; Pracella, M.: Spherulite Nucleation in Blends of Isotactic Polypropylene with Isotactic Poly(Butene-1), 1513

**Beard, G. E.** See Kaynak, A., 269

**Bell, B.**
—; Beyer, D. E.; Maecker, N. L.; Papenfus, R. R.; Priddy, D. B.: Permanence of Polymer Stabilizers in Hostile Environments, 1605

**Bert, M.** See Espinasse, I., 2083

**Bertorello, H.** See Alvarez, C., 1887

**Beyer, D. E.** See Bell, B., 1605

**Beytollahi-Amtmann, I.** See Lederer, K., 47

**Bharel, R.**
—; Choudhary, V.; Varma, I. K.: Preparation, Characterization, and Thermal Behavior of MMA–*N*-Aryl Maleimide Copolymers, 2165

**Bhat, N.** See Pawde, S., 201

**Bhowmick, A. K.** See Kole, S., 1329
**Bhuiyan, M. I. U.** See Ali, K. M. I., 303
**Bidstrup, S. A.** See Lin, L., 553
**Bielsa, R. O.**
—; Brandolini, M. C.; Akcelrud, L.; Meira, G. R.: Distributions of Functionality and of Molecular Weights in an Hydroxyl-Terminated Polybutadiene by Dual-Detection Size Exclusion Chromatography, 2125
**Billiani, J.** See Lederer, K., 47
**Biswas, M.**
—; Roy, A.: Chemical Modification of Polypyrrole. I. Preparation and Structural Characterization of Polypyrrole Electrophilically Substituted with Phthalic Anhydride and Pyromellitic Dianhydride, 843
—; Roy, A.: Chemical Modification of Polypyrrole. II. Thermal Stability, Dielectric, and Conductivity Characteristics of Polypyrrole Substituted with Phthalic and Pyromellitic Dianhydride, 1483
**Blum, F. D.** See Menon, N., 113
**Bonekamp, J. E.**
—; Maecker, N. L.: The Permanence of UV Absorbers in a Rubber-Modified Acrylic Film by UV/Visible Spectrophotometry, 1593
**Bowen, R. L.** See Al-Sheikhly, M., 1049
**Brandolini, M. C.** See Bielsa, R. O., 2125
**Buchholz, U.** See Könczöl, L., 815

**Campanelli, J. R.**
—; Kamal, M. R.; Cooper, D. G.: Kinetics of Glycolysis of Poly(Ethylene Terephthalate) Melts, 1731
**Canegallo, S.**
—; Canu, P.; Morbidelli, M.; Storti, G.: Composition Control in Emulsion Copolymerization. 2. Application to Binary and Ternary Systems, 1919
—; See Canu, P., 1899
**Canevarolo, S.**
—; De Candia, F.: Stereoblock Polypropylene/Isotactic Polypropylene Blends. I. Phase Organization, 2013
**Canu, P.**
—; Canegallo, S.; Morbidelli, M.; Storti, G.: Composition Control in Emulsion Copolymerization. I. Optimal Monomer Feed Policies, 1899
—; See Canegallo, S., 1919
**Capaccio, G.** See Rose, L. J., 2119
**Carr, M. E.**
Preparation of Cationic Starch Containing Quaternary Ammonium Substituents by Reactive Twin-Screw Extrusion Processing, 1855
**Cassagnau, P.** See Espinasse, I., 2083
**Castellano, I.**
—; Pascual, B.; Vazquez, B.; Goñi, I.; Gurruchaga, M.: Graft Copolymerization of Different Mixtures of Acrylic Monomers on Amylopectin. Swelling Behavior, 577
**Castiglioni, C.** See Toselli, M., 2101
**Cebe, P.** See Teverovsky, J. B., 497
**Champagne, F.**
—; Li, J.-F.; Schreiber, H. P.; Dipaola-Baranyi, G.: Surface Characteristics of Polymer/Small Molecule Blends, 743
**Chand, S.** See Kalkar, A. K., 1955
**Chandra, S.** See Kalkar, A. K., 1955
**Chang, L.-T.**
—; Yen, C.-C.: Studies on the Preparation and Properties of Conductive Polymers. VII. Use of Two-Stage Method to Prepare Ag–Hg Alloy on Polymer Films, 1409
**Chang, S.-H.**
Thermal Analysis of Acrylonitrile Copolymers Containing Methyl Acrylate (Note), 405
**Channell, A. D.** See Rose, L. J., 2119
**Charati, S. G.**
—; Jog, J. P.; Kulkarni, S. S.; Kulkarni, M. G.: Dynamic Mechanical Analysis and Interpretation of Molecular Motions in Polyarylates, 1093
**Chatzi, E.** See Kiparissides, C., 1423
**Chauhan, G. S.** See Mehta, I. K., 1171
**Chen, D.** See Chen, Q., 1191
**Chen, H.-L.**
—; Porter, R. S.: Composite of Polyethylene and Kenaf, a Natural Cellulose Fiber (Note), 1781
**Chen, J.-H.** See Yeh, J. T., 2171
**Chen, Q.**
—; Ge, H.; Chen, D.; He, X.; Yu, X.: Investigation on Damping Behavior and Morphology of Polyurethane/Polymethacrylates and Polyacrylates Interpenetrating Polymer Networks, 1191
**Chen, X.** See Jia, W., 1219
**Childs, R. F.** See Trushinski, B. J., 1233
**Cho, W. J.** See Oh, S. T., 859; Park, D.-J., 763
**Chohan, R. K.**
Shear and Elongational Flow of Some Branched Polyethylenes, 487

**Choi, C. K.** See Park, I. J., 1449
**Choi, H.-M.**
—; Srinivasan, M.; Morris, N. M.: Single-Step Dyeing and Finishing Treatment of Cotton with 1,2,3,4-Butanetetracarboxylic Acid, 2107
**Choi, J.-S.** See Kim, W. N., 1741
**Choudhary, V.** See Bharel, R., 2165
**Christodoulides, C.** See Spathis, G., 831
**Clement, R.** See Nguyen, X. Q., 2023
**Clout, R.** See Kaynak, A., 269
**Cobianco, S.** See Lezzi, A., 889
**Coffin, D. R.**
—; Fishman, M. L.: Physical and Mechanical Properties of Highly Plasticized Pectin/Starch Films, 1311
**Colby, R. H.** See Landry, M. R., 991
**Contessa, S.** See Santacesaria, E., 1371
**Cooper, D. G.** See Campanelli, J. R., 1731
**Cousin, P.**
—; Smith, P.: Synthesis and Characterization of Styrene-Based Microbeads Possessing Amine Functionality, 1631
**Crighton, J. S.** See Horrocks, A. R., 593
**Cruz-Ramos, C. A.** See Vázquez-Torres, H., 1141

**Dai, J.**
—; Goh, S. H.; Lee, S. Y.; Siow, K. S.: Erratum to "Complexation Between Poly(2-hydroxypropyl methacrylate) and Three Tertiary Amide Polymers", 1585
**Dal-Cin, M. M.**
—; Tam, C. M.; Guiver, M. D.; Tweddle, T. A.: Polysulfone Membranes. V. Poly(phenyl sulfone) (Radel R)–Polyvinylpyrrolidone Membranes, 783
**Darwish, K. A.** See Amin, M., 1587
**Das, B.**
—; Gangopadhyay, T.; Sinha, S.: Physical, Mechanical, and Morphological Behavior of Sequential Polybutadiene–Poly(methyl methacrylate) Interpenetrating Polymer Networks, 367
**Dave, M.** See Suthar, B., 1127
**Davis, C. R.**
—; Zimmerman, J. A.: Thermal Stability Studies of a Polyimide–Polytetrafluoroethylene Blend and Its Components, 153
**De Benito González, J. L.** See González Hernández, L., 1073
**De Candia, F.** See Canevarolo, S., 2013
**De Kee, D.** See Stastna, J., 753
**Decker, C.** See Kaczmarek, H., 2147
**Deeken, R.** See Shih, C., 257
**Deki, S.** See Matsushita, S., 1561
**Deng, K.** See Li, Z., 1395
**Deng, Y.**
—; Pelton, R.; Xiao, H.; Hamielec, A.: Synthesis of Nonionic Flocculants by Gamma Irradiation of Mixtures of Polyacrylamide and Poly(ethylene oxide), 805
**Desai, P.** See Akki, R., 1263
**Desgrandchamps, G.** See Duval, J.-M., 409
**Dharani, L. R.** See Menon, N., 113
**Di Serio, M.** See Santacesaria, E., 1371
**Diakoumakos, C. D.**
—; Mikroyannidis, J. A.: Heat-Resistant Polyimides and Polyamides Prepared from 2,7-Diamino-9-Dicyanomethylene-Fluorene, 2063
**Dickson, J. M.** See Trushinski, B. J., 1233
**Dimov, A. R.** See Godjevargova, T. S., 355
**Dipaola-Baranyi, G.** See Champagne, F., 743
**Dobáš, I.** See Sýkora, V., 1463
**Döll, W.** See Könczöl, L., 815
**Domke, W.-D.**
—; Halmheu, F.; Schneider, S.: Solid-State NMR Studies of Relaxations in Modified Duroplastic Low-Stress Materials, 83
—; Halmheu, F.; Schneider, S.: Thermomechanical Characterization of Modified Duroplastic Low-Stress Materials (Note), 129
**Duval, J.-M.**
—; Kemperman, A. J. B.; Folkers, B.; Mulder, M. H. V.; Desgrandchamps, G.; Smolders, C. A.: Preparation of Zeolite Filled Glassy Polymer Membranes, 409

**Egawa, H.** See Kabay, N., 333
**Elkhalek, A. A. A.** See Sabbah, I. A., 1
**El-Zawawy, W. K.** See Mansour, O. Y., 519
**Endo, T.** See Kanazawa, A., 1305
**Errede, L. A.**
—; Hanson, S. C.: Polymer Swelling. XV. Swelling and Deswelling Studies of Polystyrene–Liquid Systems in Binary Solutions, 619
—; Henrich, P. J.; Schroepfer, J. N.: Polymer Drying. IX. Effect of History on the Kinetics of Evaporation from Poly(styrene-co-divinylbenzene)–Liquid Systems in the Rubbery and Glassy States, 649
—; Henrich, P. J.; Tiers, G. V. D.: Polymer Drying. X. A Reconsideration of the

Kinetics of Evaporation from Polymer–Liquid Systems During the Interval of Transition from the Rubbery to a Glassy State, 669
**Espinasse, I.**
—; Cassagnau, P.; Bert, M.; Michel, A.: Characterization of Crosslinking of Random Polymer Network by Rheological and Equilibrium Swelling Data, 2083
**Ewais, H. A.** See Sabbah, I. A., 1

**Fan, Y.-W.** See Whang, W.-T., 923
**Fang, Y.**
—; Pham, V. A.; Matsuura, T.; Santerre, J. P.; Narbaitz, M.: Effect of Surface-Modifying Macromolecules and Solvent Evaporation Time on the Performance of Polyethersulfone Membranes for the Separation of Chloroform/Water Mixtures by Pervaporation, 1937
**Farahani, M.** See Al-Sheikhly, M., 1049
**Farris, R.** See Joslin, S., 289, 439
**Favier, J.-C.** See Wang, L. S., 1439
**Feng, L. X.** See Wang, L., 1403
**Feng, Z.** See Han, Y., 375, 2045
**Ferrier, D.** See Yagoubi, N., 1043
**Ferrillo, R. G.** See Achorn, P. J., 2033
**Fischer, H.**
—; Keller, A.; Odell, J. A.: Quick Way to Prepare Anisotropic Solutions of Hydroxypropylcellulose in Water (Note), 1785
**Fishman, M. L.** See Coffin, D. R., 1311
**Folkers, B.** See Duval, J.-M., 409
**Folmer, J. C. W.** See Grünbauer, H. J. M., 935
**Fouda, A. E.** See Page, C. A., 975
**Francis, D. J.** See Mathew, C., 1033
**Freddi, G.** See Tsukada, M., 507
**Freeman, J. J.** See Muellerleile, J. T., 135
**Frisch, K. C.** See Xiao, H., 1643
**Frye, C. J.** See Rose, L. J., 2119
**Fujibayashi, T.** See Murase, H., 2051
**Fukushima, N.** See Tanioka, A., 219
**Fusari, M.** See Toselli, M., 2101

**Gagnon, D. R.** See Trushinski, B. J., 1233
**Galeski, A.** See Bartczak, Z., 1513
**Gallardo, A.** See Peniche, C., 959
**Gan, P. P.**
—; Paul, D. R.: Phase Behavior of Blends of Styrene/Maleic Anhydride Copolymers, 317
**Gangopadhyay, T.** See Das, B., 367
**Gao, J.** See Li, Z., 1395
**Gao, X.**
—; Lu, F.: Structure/Permeability Relationships of Polyamide-Imides, 1965
**Ge, H.** See Chen, Q., 1191
**Geisler, B.**
—; Kelley, F. N.: Rubbery and Rigid Particle Toughening of Epoxy Resins, 177
**Gerck, E.** See Barros, M. L., 1575
**Goates, S. R.** See Zhang, G., 419
**Godjevargova, T. S.**
—; Dimov, A. R.; Vasileva, N.: Immobilization of Glucose Oxidase onto Membranes of Modified Acrylonitrile Copolymer, 355
**Goh, S. H.** See Dai, J., 1585
**Goñi, I.** See Castellano, I., 577
**González Hernández, L.**
—; De Benito González, J. L.; Ibarra Rueda, L.; Rodríguez Díaz, A.: Effect of Different Cross-Linking Systems on Properties of Highly Saturated Nitrile Rubber Compounds, 1073
**Grainger, D. W.** See Kim, Y. J., 1863
**Gravitis, J.** See Teeäär, R., 697
**Grünbauer, H. J. M.**
—; Folmer, J. C. W.: Polymer Morphology of $CO_2$-Blown Rigid Polyurethane Foams: Its Fractal Nature, 935
**Guiver, M. D.** See Dal-Cin, M. M., 783
**Guo, J.-S.** See Xie, H.-Q., 1079
**Gupta, A.** See Kaur, I., 1131
**Gupta, B.**
—; Haas, O.; Scherer, G. G.: Proton Exchange Membranes by Radiation Grafting of Styrene onto FEP Films. III. Structural Investigation, 469
**Gurruchaga, M.** See Castellano, I., 577

**Ha, C. S.** See Oh, S. T., 859; Park, D.-J., 763
**Ha, W. S.** See Seo, S. W., 1997
**Haas, O.** See Gupta, B., 469
**Halmheu, F.** See Domke, W.-D., 83, 129
**Hamada, H.** See Shonaike, G. O., 881
**Hamano, T.** See Hashimoto, K., 1579
**Hamielec, A.** See Deng, Y., 805
**Han, Y.**
—; Yang, Y.; Li, B.; Feng, Z.: J-Integral Studies of Crack Initiation and Crack Tip-Blunting of Phenolphthalein Polyether Ketone, 375
—; Yang, Y.; Li, B.; Feng, Z.: Tensile Yield in Phenolphthalein Polyether Ketone, 2045
**Hanson, S. C.** See Errede, L. A., 619
**Harrison, B.** See Stastna, J., 753

**Haruta, N.** See Murase, H., 2051
**Hasegawa, K.** See Tanioka, A., 219
**Hashemi, S. A.** See Omidian, H., 241, 251
**Hashimoto, K.**
—; Hamano, T.; Okada, M.: Degradation of Several Polyamides in Soils (Note), 1579
**Hayashi, T.** See Kabay, N., 333
**He, X.**
—; Jia, X.; Yu, X.: Synthesis and Properties of Main-Chain Liquid Crystalline Polyurethane Elastomers, 207
—; See Chen, Q., 1191
**He, Z. A.** See Thames, S. F., 951
**Henrich, P. J.** See Errede, L. A., 649, 669
**Henrichs, P. M.** See Landry, M. R., 991
**Heo, G.**
—; Lee, D. H.; Kim, K. H.: Electropolymerization and Physicochemical Properties of Polypyrrole *p*-Toluenesulfonate, 849
**Hesp, S. A. M.** See Morrison, G. R., 231
**Hietaoja, P. T.**
—; Holsti-Miettinen, R. M.; Seppälä, J. V.; Ikkala, O. T.: The Effect of Viscosity Ratio on the Phase Inversion of Polyamide 66/Polypropylene Blends, 1613
**Higuchi, A.** See Nagai, K., 1207, 1353
**Hinrichsen, G.** See Karmaker, A. C., 1803
**Hirakawa, S.** See Yamaguchi, K., 1625
**Ho, T.-H.**
—; Wang, C.-S.: Modification of Epoxy Resins by Hydrosilation for Electronic Encapsulation Application, 13
**Hoffmann, A.** See Karmaker, A. C., 1803
**Holsti-Miettinen, R. M.** See Hietaoja, P. T., 1613
**Hong, H.-S.** See Yeh, J. T., 2171
**Hong, S.-I.** See Kim, W. N., 1741
**Horáček, I.**
—; Kalíšek, V.: Polylactide. I. Continuous Dry Spinning–Hot Drawing Preparation of Fibers, 1751
—; Kalíšek, V.: Polylactide. II. Discontinuous Dry Spinning–Hot Drawing Preparation of Fibers, 1759
—; Kalíšek, V.: Polylactide. III. Fiber Preparation by Spinning in Precipitant Vapor, 1767
**Horie, N.** See Ikeda, I., 1123
**Hornsby, P. R.**
—; Tung, J. F.: Characterization of Polyamide 6 Made by Reactive Extrusion. II. Analysis of Microstructure, 899
**Horrocks, A. R.**
—; Valinejad, K.; Crighton, J. S.: Demonstration of the Possible Competing Effects of Oxidation and Chain Scission in Oriented and Stressed Polypropylenes, 593
**Hossain, M. A.** See Ali, K. M. I., 309
**Hou, W.-H.**
—; Lobuglio, T. M.: A New Technique for Preparing Monodisperse Polymer Particles. Part II. Phase Separation Mechanisms, 1363
**Hsiue, G.-H.** See Lee, S.-D., 1279
**Huang, M.-R.**
—; Li, X.-G.: Synthesis of Liquid Crystalline Triheptyl Cellulose and Its Blend Thin-Film Composite Membrane for Air Separation, 463
**Huang, S. J.** See Iannace, S., 1525
**Huang, Y.** See Jiang, S. H., 533
**Hurtak, J. J.** See Barros, M. L., 1575
**Hynek, V.** See Nguyen, X. Q., 1817

**Iannace, S.**
—; Ambrosio, L.; Huang, S. J.; Nicolais, L.: Poly(3-Hydroxybutyrate)-co-(3-Hydroxyvalerate)/Poly-L-Lactide Blends: Thermal and Mechanical Properties, 1525
**Ibarra, L.**
Dynamic Properties of Short Fiber–EPDM Matrix Composites as a Function of Strain Amplitude, 1721
**Ibarra Rueda, L.** See González Hernández, L., 1073
**Ichikawa, K.**
Dynamic Mechanical Properties of Polyurethane–Urea Microcapsules on Coated Paper, 1321
**Ichikawa, T.**
—; Mitsumura, Y.; Nakajima, T.: Water-Sorption Properties of Poly(ε-Lysine): Carboxymethyl Cellulose (CMC) Dietary Complex Films, 105
**Ikeda, I.**
—; Horie, N.; Suzuki, K.: Synthesis of Graft Poly(ester ether) by Ring-Opening Copolymerization of Epoxy-Terminated Poly(ethylene glycol) with Lactones, 1123
**Ikeda, T.** See Kanazawa, A., 1305
**Ikegawa, K.** See Ochi, M., 1893
**Ikkala, O. T.** See Hietaoja, P. T., 1613
**Inagaki, M.** See Takeichi, T., 361
**Inoue, T.**
Selective Crosslinking in Polymer Blends. I. Novel Selective Crosslink Systems

for Polypropylene/ Unsaturated Elastomer Blends, 709
**Inoue, T.**
Selective Crosslinking in Polymer Blends. II. Its Effect on Impact Strength and Other Mechanical Properties of Polypropylene/Unsaturated Elastomer Blends, 723
**Ioffe, M. S.** See Wan, J. K. S., 25
**Ivanchenko, M. I.** See Iwata, H., 125
**Iwata, H.**
—; Ivanchenko, M. I.; Miyaki, Y.: Preparation of Anti-Oil Stained Membrane by Grafting Polyethylene Glycol Macromer onto Polysulfone Membrane, 125

**Jackson, W.** See Joslin, S., 289, 439
**Jadav, K.** See Suthar, B., 1127
**Jankova, K.**
—; Kops, J.: $^1$H-NMR Investigation of Quantitative Functionalization of Poly(ethylene glycol)s, 1027
**Jegal, J.**
—; Kim, J.-H.; Park, Y.-I.; Lee, K.-H.: Development of Polyion Complex Membranes for the Separation of Water–Alcohol Mixtures. I. Synthesis and Physical Properties of the Polycations Based on 1,3-Di(4-pyridyl)propane, 65
**Jeziorny, A.** See Urbańczyk, G., 1469
**Jia, W.**
—; Chen, X.: PTC Effect of Polymer Blends Filled with Carbon Black, 1219
**Jia, X.** See He, X., 207
**Jian, N.** See Zeng, H., 541
**Jiang, S. H.**
—; Huang, Y.: Preparation and Structures of Ethyl–Cyanoethyl Cellulose/Cross-Linked Polystyrene Composites, 533
**Jiazhen, S.** See Wenwei, Z., 1199
**Jo, W. H.** See Min, B. G., 457; Yu, Y. C., 585
**Jog, J. P.** See Charati, S. G., 1093
**Jonquières, A.**
—; Roizard, D.; Lochon, P.: Use of Empirical Polarity Parameters to Describe Polymer/Liquid Interactions: Correlation of Polymer Swelling with Solvent Polarity in Binary and Ternary Systems, 1673
**Joslin, S.**
—; Jackson, W.; Farris, R.: A Novel TLCP Blended with PET and PC Matrices, 289
—; Jackson, W.; Farris, R.: The Thermal and Mechanical Behavior of Poly(ethylene terephthalate) Fibers Incorporating Novel Thermotropic Liquid Crystalline Copolymers, 439
**Jyo, A.** See Kabay, N., 333

**Kabay, N.**
—; Hayashi, T.; Jyo, A.; Egawa, H.: Amidoxime Resins Based on Poly(acrylonitrile-*co*-vinylidene chloride-*co*-divinylbenzene) and Their Behavior in Uptake of Uranium from Sea Water, 333
**Kaczmarek, H.**
—; Decker, C.: Interpenetrating Polymer Networks. I. Photopolymerization of Multiacrylate Systems, 2147
**Kalíšek, V.** See Horáček, I., 1751, 1759, 1767
**Kalkar, A. K.**
—; Kundagol, S.; Chand, S.; Chandra, S.: Thermally Stimulated Depolarization Current Studies on PC/ PTBF Blends, 1955
**Kalyanasundaram, M.** See Prasad, M. P., 1879
**Kamal, M. R.** See Campanelli, J. R., 1731
**Kanaji, Y.** See Matsushita, S., 1561
**Kanazawa, A.**
—; Ikeda, T.; Endo, T.: Polymeric Phosphonium Salts as a Novel Class of Cationic Biocides. X. Antibacterial Activity of Filters Incorporating Phosphonium Biocides, 1305
**Karmaker, A. C.**
—; Hoffmann, A.; Hinrichsen, G.: Influence of Water Uptake on the Mechanical Properties of Jute Fiber-Reinforced Polypropylene, 1803
**Kashiwame, J.**
—; Ashida, K.: Preparation and Properties of Polyimide Foams, 477
**Kaur, I.**
—; Barsola, R.; Gupta, A.; Misra, B. N.: Graft Copolymerization of Acrylonitrile and Methacrylonitrile onto Gelatin by Mutual Irradiation Method, 1131
**Kaynak, A.**
—; Unsworth, J.; Clout, R.; Mohan, A. S.; Beard, G. E.: A Study of Microwave Transmission, Reflection, Absorption, and Shielding Effectiveness of Conducting Polypyrrole Films, 269
**Keil, A.** See Barros, M. L., 1575
**Keller, A.** See Fischer, H., 1785
**Kelley, F. N.** See Geisler, B., 177
**Kemperman, A. J. B.** See Duval, J.-M., 409
**Keskkula, H.** See Lombardo, B. S., 1697; Majumdar, B., 339

**Khan, M. A.** See Ali, K. M. I., 303, 309
**Kim, B. C.** See Min, B. G., 457
**Kim, B. K.**
—; Lee, Y. M.: Aqueous Dispersion of Polyurethanes Containing Ionic and Nonionic Hydrophilic Segments, 1809
**Kim, C.-J.**
A Linear Drug Release from Erosion-Controlled Drug/Resin Complex Systems (Note), 1179
**Kim, J.-H.** See Jegal, J., 65
**Kim, K. H.** See Heo, G., 849
**Kim, P. J.**
—; White, J. L.: Transesterification of Ethylene Vinyl Acetate Copolymer in a Modular Intermeshing Corotating Twin Screw Extruder with Different Screw Configurations, 33
**Kim, S. W.** See Kim, Y. J., 1863
**Kim, W. N.**
—; Hong, S.-I.; Choi, J.-S.; Lee, K.-H.: Morphology and Mechanical Properties of Biaxially Oriented Films of Polypropylene and HDPE Blends, 1741
**Kim, Y. J.**
—; Sung, Y. K.; Piao, A. Z.; Grainger, D. W.; Okano, T.; Kim, S. W.: Thermal and Structural Analysis of Heparin–PEO–PDMS–PEO–Heparin Pentablock Copolymers, 1863
**Kinoshita, T.** See Tsujita, Y., 1297
**Kiparissides, C.**
—; Achilias, D. S.; Chatzi, E.: Dynamic Simulation of Primary Particle-Size Distribution in Vinyl Chloride Polymerization, 1423
**Klyachkin, Y.** See Kondyurin, A., 1385
**Kober, M.**
—; Wesslén, B.: Surface Properties of a Segmented Polyurethane Containing Amphiphilic Polymers as Additives, 793
**Kodomari, M.** See Yano, S., 163
**Kogure, H.** See Murase, H., 2051
**Kohtoh, N.** See Tsujita, Y., 1297
**Kojima, Y.**
—; Matsuoka, T.; Takahashi, H.: Electrical Properties of Diphenyldiacetylene Annealed Under Elevated Pressure, 1567
**Kokorevics, A.** See Teeäär, R., 697
**Kokta, B. V.** See Sain, M. M., 1545
**Kole, S.**
—; Srivastava, S. K.; Tripathy, D. K.; Bhowmick, A. K.: Accelerated Hydrothermal Weathering of Silicone Rubber, EPDM, and Their Blends, 1329
**Könczöl, L.**
—; Döll, W.; Buchholz, U.; Mülhaupt, R.: Ultimate Properties of Epoxy Resins Modified with a Polysiloxane-Polycaprolactone Block Copolymer, 815
**Kondyurin, A.**
—; Klyachkin, Y.: Vibrational Spectra of Some Diisocyanates in the Liquid State or on EPDM-40 Rubber Surface, 1385
**Konstantinov, Hr.** See Konstantinova, T., 2187
**Konstantinova, T.**
—; Metzova, L.; Konstantinov, Hr.: On the Possibility of Obtaining Polymeric Materials With Herbicidal Activity (Note), 2187
**Kontou, E.**
Nonlinear Viscoelasticity of a Vulcanized Elastomer, 1873
**Kontou, E.** See Spathis, G., 831
**Koops, G. H.**
—; Nolten, J. A. M.; Mulder, M. H. V.; Smolders, C. A.: Integrally Skinned Polysulfone Hollow Fiber Membranes for Pervaporation, 385
**Kops, J.** See Jankova, K., 1027
**Kotera, K.** See Ochi, M., 1893
**Kreituss, A.** See Teeäär, R., 697
**Kshirsagar, R. S.**
—; Poehlein, G. W.: Radical Entry into Particles during Emulsion Polymerization of Vinyl Acetate, 909
**Kulkarni, M. G.** See Charati, S. G., 1093
**Kulkarni, S. S.** See Charati, S. G., 1093
**Kundagol, S.** See Kalkar, A. K., 1955
**Kuriakose, A. P.** See Mathew, C., 1033

**Lai, Y.-C.**
Graft Copolymers of Nylon 6 and Polyphenylene Oxide: Syntheses and Their Role in Compatibilizing Nylon 6/Polyphenylene Oxide Blends, 1289
**Landry, C. J. T.** See Landry, M. R., 991
**Landry, M. R.**
—; Massa, D. J.; Landry, C. J. T.; Teegarden, D. M.; Colby, R. H.; Long, T. E.; Henrichs, P. M.: A Survey of Polyvinylphenol Blend Miscibility, 991
**Lane, J.** See Low, I. M., 2191
**Lawther, M. L.** See Rozman, H. D., 191
**Lederer, K.**
—; Beytollahi-Amtmann, I.; Billiani, J.: Determination and Correction of Peak Broadening in Size Exclusion Chromatography of Controlled Rheology Polypropylene, 47
**Lee, C. J.** See Min, B. G., 457
**Lee, D. H.** See Heo, G., 849
**Lee, D.-H.**
—; Yoon, K.-B.: Effect of Polycyclopentene on

Crystallization of Isotactic Polypropylene, 1507
**Lee, J. K.** See Morrison, G. R., 231
**Lee, K.-H.** See Jegal, J., 65; Kim, W. N., 1741
**Lee, S. Y.** See Dai, J., 1585
**Lee, S.-B.** See Park, I. J., 1449
**Lee, S.-D.**
—; Hsiue, G.-H.; Wang, C.-C.: Characterization of Plasma-Induced Graft Polymerization of 2-Hydroxyethyl Methacrylate onto Silicone Rubber, 1279
**Lee, Y. M.** See Kim, B. K., 1809
**Legendre, B.** See Yagoubi, N., 1043
**Lenka, S.** See Sahoo, S. C., 1185; Swain, S. K., 1413
**Lezzi, A.**
—; Cobianco, S.: Chelating Resins Supporting Dithiocarbamate and Methylthiourea Groups in Adsorption of Heavy Metal Ions, 889
**Li, B.** See Han, Y., 375, 2045
**Li, H.** See Ruckenstein, E., 561
**Li, J.-F.** See Champagne, F., 743
**Li, K.-T.**
Synthesis of Poly(2,6-Dimethyl-1,4-Phenylene Ether) Catalyzed by Copper–Diamine System, 1339
**Li, W.** See Zeng, H., 1989
**Li, X.** See Zhang, L., 1847
**Li, X.-G.** See Huang, M.-R., 463
**Li, Y.** See Wenwei, Z., 1199
**Li, Z.**
—; Gao, J.; Deng, K.; Zhu, H. G.: Synthesis of Core-Shell Emulsion Copolymer of Polybutyl Acrylate/$\alpha$-MethylStyrene-*co*-Methyl Acrylate, with Application as Processing Aid of Polyvinyl Chloride, 1395
**Li, Z.** See Zeng, H., 1989
**Liang, B.**
—; Pan, L.: Compatibility and Morphology Studies of PPO Multicomponent Blends, 1945
**Lin, C.-C.** See Ou, C.-F., 1223
**Lin, D. G.**
Solid-Phase Oxidation of Polyethylene Coatings on Metals, 1789
**Lin, L.**
—; Bidstrup, S. A.: Effect of Molecular Orientation on the Dielectric Properties of Spin-Coated Polyimide Films, 553
**Lin, S. B.**
Addition-Cured Silicone Adhesive Technology: Vinyl Silicone Crosslinker, 2135
**Lippmaa, E.** See Teeäär, R., 697
**Lipp-Symonowicz, B.** See Urbańczyk, G., 1469
**Lobuglio, T. M.** See Hou, W.-H., 1363
**Lochon, P.** See Jonquières, A., 1673
**Lombardo, B. S.**
—; Keskkula, H.; Paul, D. R.: Influence of ABS Type on Morphology and Mechanical Properties of PC/ABS Blends, 1697
**Long, T. E.** See Landry, M. R., 991
**Low, I. M.**
—; Schmidt, P.; Lane, J.; McGrath, M.: Properties of Rubber-Modified Cellulose-Fiber–Epoxy Laminates (Note), 2191
**Lu, F.** See Gao, X., 1965
**Lutton, M. D.**
—; Stolarski, T. A.: The Effect of Water Lubrication on Polymer Wear under Rolling Contact Conditions, 771

**Maecker, N. L.** See Bell, B., 1605; Bonekamp, J. E., 1593
**Maehara, T.** See Yamamoto, K., 1161
**Maekawa, Z.** See Shonaike, G. O., 881
**Mai, K.** See Zeng, H., 541
**Majumdar, B.**
—; Keskkula, H.; Paul, D. R.: Effect of Extruder Type on the Properties and Morphology of Reactive Blends Based on Polyamides, 339
**Makuuchi, K.** See Thiangchanya, A., 525
**Malavašič, T.** See Mirčeva, A., 2075
**Malwitz, N.** See Xiao, H., 1643
**Mansour, O. Y.**
—; Nagaty, A.; El-Zawawy, W. K.: Variables Affecting the Methylation Reactions of Cellulose, 519
**Marrero, T. R.** See Tsai, Y., 1773
**Massa, D. J.** See Landry, M. R., 991
**Mathew, C.**
—; Mini, V. T. E.; Kuriakose, A. P.; Francis, D. J.: Studies on a New Binary Accelerator System Containing TMTD and Amidinothiourea in Sulfur Vulcanization of Natural Rubber, 1033
**Matsuda, H.** See Takechi, S., 1977
**Matsuoka, T.** See Kojima, Y., 1567
**Matsushita, S.**
—; Deki, S.; Mizuhata, M.; Sugita, M.; Kanaji, Y.: Temperature Dependence of pH for Solubilized Collagen Solutions, 1561
**Matsuura, T.** See Fang, Y., 1937; Page, C. A., 975
**Matsuyama, H.**
—; Shiraishi, T.; Teramoto, M.: Plasma Polymerized Membranes from Organosilicon Compounds for Separation of Oxygen Over Nitrogen, 1665
**McCarry, B. E.** See Trushinski, B. J., 1233
**McGrath, M.** See Low, I. M., 2191
**Mehta, I. K.**
—; Misra, B. N.; Chauhan, G. S.: Study of Thermal and Dyeing Behavior of Isotactic

Polypropylene Fiber Graft Copolymerized with Acrylate Monomers Using Preirradiation Method, 1171
**Meikleham, N.**
—; Pizzi, A.; Stephanou, A.: Induced Accelerated Autocondensation of Polyflavonoid Tannins for Phenolic Polycondensates —Part I: $^{13}C$-NMR, $^{29}Si$-NRM, X-Ray and Polarimetry Studies and Mechanism, 1827
**Meira, G. R.** See Bielsa, R. O., 2125
**Memon, N. A.**
Rheology of Polycarbonate/Poly-(butylene terephthalate) Blends Containing a Core-Shell Modifier and High Molecular Weight Acrylic Polymers: Extrusion Blow-Moldable Resins, 1059
**Menon, N.**
—; Blum, F. D.; Dharani, L. R.: Use of Titanate Coupling Agents in Kevlar–Phenolic Composites, 113
**Metzova, L.** See Konstantinova, T., 2187
**Michel, A.** See Espinasse, I., 2083
**Mikroyannidis, J. A.** See Diakoumakos, C. D., 2063
**Min, B. G.**
—; Son, T. W.; Kim, B. C.; Lee, C. J.; Jo, W. H.: Effect of Solvent or Hydrophilic Polymer on the Hydration Melting Behavior of Polyacrylonitrile, 457
**Minervini, L.** See Santacesaria, E., 1371
**Mini, V. T. E.** See Mathew, C., 1033
**Minoura, N.** See Tsukada, M., 507
**Mirčeva, A.**
—; Žigon, M.; Malavašič, T.: Characterization and Application of Crosslinkers for Polyurethane Aqueous Systems: Isopropylidene Malonate–Blocked Isocyanurate, 2075
**Mishra, B. K.** See Swain, S. K., 1413
**Misra, B. N.** See Kaur, I., 1131; Mehta, I. K., 1171
**Mitani, K.** See Yamamoto, K., 1161
**Mitsumura, Y.** See Ichikawa, T., 105
**Miyagawa, K.** See Ogawa, I., 1971
**Miyaki, Y.** See Iwata, H., 125
**Miyasaka, K.** See Tanioka, A., 219
**Mizoguchi, K.** See Yamasaki, A., 867
**Mizuhata, M.** See Matsushita, S., 1561
**Mizutani, Y.** See Yamamoto, K., 1161
**Mohamed, S. A.** See Sabbah, I. A., 1
**Mohan, A. S.** See Kaynak, A., 269
**Mohapatra, D. K.** See Swain, S. K., 1413
**Moon, C.-K.**
The Effect of Interfacial Microstructure on the Interfacial Strength of Glass Fiber/Polypropylene Resin Composites, 73
**Morbidelli, M.** See Canegallo, S., 1919; Canu, P., 1899
**Morris, N. M.** See Choi, H.-M., 2107
**Morrison, G. R.**
—; Lee, J. K.; Hesp, S. A. M.: Chlorinated Polyolefins for Asphalt Binder Modification, 231
**Mounir, M.** See Amin, M., 1587
**Mourey, T. H.**
—; Balke, S. T.: Size-Exclusion Calibration Curves from Light-Scattering Detection: Application to Poly(ethylene terephthalate), 1455
**Muellerleile, J. T.**
—; Freeman, J. J.: Effect of Solvent Precipitation on the Crystallization Behavior and Morphology of Nylon 6,6, 135
**Mulder, M. H. V.** See Duval, J.-M., 409; Koops, G. H., 385
**Mülhaupt, R.** See Könczöl, L., 815
**Murase, H.**
—; Nanishi, K.; Kogure, H.; Fujibayashi, T.; Tamura, K.; Haruta, N.: Interactions Between Heterogeneous Surfaces of Polymers and Water, 2051
**Murthy, S. S. N.**
—; Sobhanadri, J.: Study of Some Polyurethane Elastomers Using Electrical Methods, 1499

**Nafisi, S.** See Omidian, H., 241, 251
**Nagai, K.**
—; Higuchi, A.; Nakagawa, T.: Bromination and Gas Permeability of Poly(1-trimethylsilyl-1-propyne) Membrane, 1207
—; Higuchi, A.; Nakagawa, T.: Gas Permeation and Sorption in Brominated Poly(1-Trimethylsilyl-1-Propane) Membrane, 1353
—; Nakagawa, T.: Oxidation of Poly(1-trimethylsilyl-1-propyne), 1651
**Nagaty, A.** See Mansour, O. Y., 519
**Nakagawa, T.** See Nagai, K., 1207, 1353, 1651
**Nakajima, T.** See Ichikawa, T., 105
**Nakamichi, M.** See Shonaike, G. O., 881
**Nakamura, K.** See Yano, S., 163
**Nanishi, K.** See Murase, H., 2051
**Narayan, R.** See Nie, L., 601
**Narbaitz, M.** See Fang, Y., 1937
**Nayak, P. L.** See Sahoo, S. C., 1185; Swain, S. K., 1413
**Neuse, E. W.**
—; Perlwitz, A. G.; Barbosa, A. P.: Water-Soluble

Polyamides as Potential Drug Carriers. VIII. Poly(alkylene oxide)-Grafted Polyaspartamides Bearing Ethylenediamine Side-Group Functions, 57
**Nguyen, Q. T.** See Nguyen, X. Q., 1817, 2023
**Nguyen, X. Q.**
—; Nguyen, Q. T.; Clement, R.; Uchytil, P.: Gas-Sweeping Pervaporation: A Method for Studying the Transport of Solvent Mixtures in Polymers: Application to the Methanol–Propan-1-ol-Cellulose Triacetate System, 2023
—; Šipek, M.; Hynek, V.; Nguyen, Q. T.: Flow Method for Study of Gas Transport in Polymers. Application to the Study of Oxygen, Nitrogen, and Carbon Dioxide Permeation Through Cellulose Acetate Membranes, 1817
**Niaounakis, M.** See Spathis, G., 831
**Nicolais, L.** See Iannace, S., 1525
**Nie, L.**
—; Narayan, R.: Grafting Cellulose Acetate with Styrene Maleic Anhydride Random Copolymers for Improved Dimensional Stability of Cellulose Acetate, 601
**Nishiyama, F.** See Sakurai, H., 1019; Tamai, H., 1795
**Noguchi, J.** See Yashima, E., 1087
**Nolten, J. A. M.** See Koops, G. H., 385

**Ochi, M.**
—; Ikegawa, K.; Ueda, S.; Kotera, K.: Effect of the Low-Temperature Relaxation on Toughness of Cured Epoxy Resins, 1893
**Odell, J. A.** See Fischer, H., 1785
**Ogasawara, K.** See Yamasaki, A., 867
**Ogawa, I.**
—; Yamano, H.; Miyagawa, K.: Swelling of Hydrophilic Polymers. III, 1971
**Ogura, S.** See Takeichi, T., 361
**Oh, S. T.**
—; Ha, C. S.; Cho, W. J.: Synthesis and Biocidal Activities of Polymer. III. Bactericidal Activity of Homopolymer of AcDP and Copolymer of AcDP with St, 859
**Okada, M.** See Hashimoto, K., 1579
**Okamoto, Y.** See Yashima, E., 1087
**Okano, T.** See Kim, Y. J., 1863
**Omidian, H.**
—; Hashemi, S. A.; Askari, F.; Nafisi, S.: Modifying Acrylic-Based Superabsorbents. I. Modification of Crosslinker and Comonomer Nature, 241
—; Hashemi, S. A.; Askari, F.; Nafisi, S.: Modifying Acrylic-Based Superabsorbents. II. Modification of Process Nature, 251
**Ou, C.-F.**
—; Lin, C.-C.: Blends of Polyethylene Terephthalate with Co[poly(ethylene terephthalate-*p*-oxybenzoate)] I. Crystallization Kinetics by DSC Study, 1223
**Owen, N. L.** See Zhang, G., 419

**Page, C. A.**
—; Fouda, A. E.; Tyagi, R.; Matsuura, T.: Pervaporation Performance of Polyetherimide Membranes Spin- and Dip-Coated with Polydimethylsiloxane, 975
**Pan, L.** See Liang, B., 1945
**Pan, M.** See Zhang, L., 1847
**Papenfus, R. R.** See Bell, B., 1605
**Park, D.-J.**
—; Ha, C.-S.; Cho, W.-J.: Synthesis and Properties of Methyl Methacrylate-EPDM-Styrene Graft Terpolymer, 763
**Park, I. J.**
—; Lee, S.-B.; Choi, C. K.: Surface Properties for Poly(perfluoroalkylethyl Methacrylate)/Poly(*n*-alkyl Methacrylate)s Mixtures, 1449
**Park, Y.-I.** See Jegal, J., 65
**Pascual, B.** See Castellano, I., 577
**Paul, D. R.** See Gan, P. P., 317; Lombardo, B. S., 1697; Majumdar, B., 339
**Pawde, S.**
—; Bhat, N.: Thermal Analysis of Poly(vinylidene fluoride) (PVDF) in Composites with Polypyrrole (PPy), 201
**Pelton, R.** See Deng, Y., 805
**Peniche, C.**
—; Zaldívar, D.; Gallardo, A.; Román, J. S.: Swelling Behavior of Hydroxyethylmethacrylate Hydrogels Modified by Copolymerization with Furfuryl Acrylate, 959
**Perlwitz, A. G.** See Neuse, E. W., 57
**Phalip, P.** See Wang, L. S., 1439
**Pham, V. A.** See Fang, Y., 1937
**Piao, A. Z.** See Kim, Y. J., 1863
**Pilati, F.** See Toselli, M., 2101
**Pillai, C. K. S.** See Antony, R., 429
**Pissis, P.** See Spathis, G., 831
**Pitt, W. G.** See Zhang, G., 419
**Pizzi, A.** See Meikleham, N., 1827
**Podzimek, S.**
The Use of GPC Coupled with a Multiangle Laser Light Scattering Photometer for the Characterization of Polymers. On the Determination of Molecular

Weight, Size, and Branching, 91
**Poehlein, G. W.** See Kshirsagar, R. S., 909
**Porter, R. S.** See Chen, H.-L., 1781
**Pracella, M.** See Bartczak, Z., 1513
**Prasad, M. P.**
—; Kalyanasundaram, M.: Thermal Analysis of Controlled-Release Formulations Based on Entrapment of a Larvicide in Cross-Linked Carboxymethylcellulose, 1879
**Priddy, D. B.** See Bell, B., 1605

**Qin, Y.**
Drawing Behavior of Polyblend Fibers from Polypropylene and Liquid Crystal Polymers, 873
**Qin, Y.**
On the *In Situ* Generation of Reinforcing Fibers, 735

**Rabaron, A.** See Yagoubi, N., 1043
**Raja, R. A.**
—; Raju, B. B.; Varadarajan, T. S.: Application of Fluorescence Probe Technique for Determination of Glass-Transition Temperature of Polymers: Studies in Polyacrylonitrile (PAN) (Note), 827
**Raju, B. B.** See Raja, R. A., 827
**Rich, D. C.** See Teverovsky, J. B., 497
**Rodríguez Díaz, A.** See González Hernández, L., 1073
**Roizard, D.** See Jonquières, A., 1673
**Romān, J. S.** See Peniche, C., 959
**Rose, L. J.**
—; Channell, A. D.; Frye, C. J.; Capaccio, G.: Slow Crack Growth in Polyethylene: A Novel Predictive Model Based on the Creep of Craze Fibrils, 2119
**Roy, A.** See Biswas, M., 843, 1483
**Rozman, H. D.**
—; Banks, W. B.; Lawther, M. L.: Improvements of Fiberboard Properties Through Fiber Activation and Subsequent Copolymerization with Vinyl Monomer, 191
**Ruckenstein, E.**
—; Li, H.: Rubber Toughened Styrene/Methyl Methacrylate/Butyl Methacrylate Composites by the Concentrated Emulsion Pathway, 561

**Sabbah, I. A.**
—; Elkhalek, A. A. A.; Sayyah, S. M.; Mohamed, S. A.; Ewais, H. A.: Aqueous Polymerization of Methyl Methacrylate and Characterization of the Obtained Polymers in the Presence of *N,N*-Dioxalyl *P*-Amino Benzoyl *N,N*-Dioxalyl Urea and Its Fe(II) and Fe(III) Complexes, 1
**Sahoo, S.** See Swain, S. K., 1413
**Sahoo, S. C.**
—; Nayak, P. L.; Lenka, S.: Synthetic Resins. XXVI. Synthesis, Characterization, and Study of Chelation Ion-Exchange Properties of Quinol-Crotonaldehyde Resin (Note), 1185
**Sain, M. M.**
—; Kokta, B. V.: Polyolefin–Wood Filler Composite. I. Performance of *m*-Phenylene Bismaleimide-Modified Wood Fiber in Polypropylene Composite, 1545
**Sakai, H.** See Tamai, H., 1795
**Sakurai, H.**
—; Tamai, H.; Nishiyama, F.; Yasuda, H.: Preparation of Fine Polymer Particles Containing Metallocene Derivatives, 1019
—; See Tamai, H., 1795
**Santacesaria, E.**
—; Trulli, F.; Minervini, L.; Di Serio, M.; Tesser, R.; Contessa, S.: Kinetic and Catalytic Aspects in Melt Transesterification of Dimethyl Terephthalate With Ethylene Glycol, 1371
**Santerre, J. P.** See Fang, Y., 1937
**Sayyah, S. M.** See Sabbah, I. A., 1
**Scarparo, M. A. F.** See Barros, M. L., 1575
**Scherer, G. G.** See Gupta, B., 469
**Schmidt, P.** See Low, I. M., 2191
**Schneider, S.** See Domke, W.-D., 83, 129
**Schork, F. J.** See Wang, S., 2157
**Schreiber, H. P.** See Champagne, F., 743
**Schroepfer, J. N.** See Errede, L. A., 649
**Sebenik, A.**
Step-Growth Polymerization of Unsaturated Aldehydes with Aliphatic Amines, 1013
**Senthil, P.** See Somanathan, N., 1537
**Seo, S. W.**
—; Ha, W. S.: Phase Behavior of Poly(ether urethane)-Nylon 6 Block Copolymer, 1997
**Seo, Y.**
Erratum to "Semiempirical Models for Steady-Shear Viscosity and Prediction of First Normal Stress Function", 267
**Seppälä, J. V.** See Hietaoja, P. T., 1613
**Sfyrakis, J.** See Simitzis, J., 2091

**Shih, C.**
—; Waldron, N.; Deeken, R.: Quantification of Free Ketene Acetals and Determination of Cure Kinetics of Poly(ortho ester)s by a Facile Deuterium Labeling Method, 257
**Shiraishi, T.** See Matsuyama, H., 1665
**Shonaike, G. O.**
—; Hamada, H.; Yamaguchi, S.; Nakamichi, M.; Maekawa, Z.: Through-Thickness Distribution of LCP in PPS/LCP Blends, 881
**Shukla, S. R.**
—; Athalye, A. R.: Graft-Copolymerization of Glycidyl Methacrylate onto Cotton Cellulose, 279
**Sigwalt, P.** See Wang, L. S., 1439
**Simitzis, J.**
—; Sfyrakis, J.: Activated Carbon from Lignocellulosic Biomass-Phenolic Resin, 2091
**Sinha, S.** See Das, B., 367
**Siow, K. S.** See Dai, J., 1585
**Šipek, M.** See Nguyen, X. Q., 1817
**Smith, P.** See Cousin, P., 1631
**Smolders, C. A.** See Duval, J.-M., 409; Koops, G. H., 385
**Sobhanadri, J.** See Murthy, S. S. N., 1499
**Somanathan, N.**
—; Senthil, P.; Viswanathan, S.; Arumugam, V.: Compatibility Studies of Solution-Blended Poly(Acrylonitrile)/Poly(n-Butyl Methacrylate), 1537
**Son, T. W.** See Min, B. G., 457
**Špaček, V.** See Sýkora, V., 1463
**Spathis, G.**
—; Niaounakis, M.; Kontou, E.; Apekis, L.; Pissis, P.; Christodoulides, C.: Morphological Changes in Segmented Polyurethane Elastomers by Varying the NCO/OH Ratio, 831
**Srinivasan, M.** See Choi, H.-M., 2107
**Srivastava, S. K.** See Kole, S., 1329
**Stastna, J.**
—; De Kee, D.; Harrison, B.: Non-Markovian Diffusion Processes in Polymers and a Stretched Exponential Relaxation Constitutive Equation, 753
**Stephanou, A.** See Meikleham, N., 1827
**Stolarski, T. A.** See Lutton, M. D., 771
**Storti, G.** See Canegallo, S., 1919; Canu, P., 1899
**Strumia, M.** See Alvarez, C., 1887
**Sudduth, R. D.**
Modulus Evaluation of Particulate Composites Using Generalized Viscosity Model for Solutions with Suspended Particles, 1243
**Sugita, M.** See Matsushita, S., 1561
**Sung, Y. K.** See Kim, Y. J., 1863
**Suthar, B.**
—; Jadav, K.; Dave, M.: Room-Temperature Kinetics of Castor Oil-Based Polyurethane/Poly(2-hydroxyethyl methacrylate) Interpenetrating Polymer Networks, 1127
**Suzuki, K.** See Ikeda, I., 1123
**Swain, S. K.**
—; Sahoo, S.; Mohapatra, D. K.; Mishra, B. K.; Lenka, S.; Nayak, P. L.: Polymers from Renewable Resources. V. Synthesis and Characterization of Thermosetting Resins Derived from Cashew Nut Shell Liquid (CNSL)–Furfural-Substituted Aromatic Compounds, 1413
**Sýkora, V.**
—; Špaček, V.; Dobáš, I.: Epoxy Resin Based on 4,4′-Dihydroxydiphenylsulfone. I. Synthesis and Reaction Kinetics with 4,4′-Diaminodiphenylmethane and 4,4′-Diaminodiphenylsulfone, 1463

**Tai, H.** See Zhang, L., 1847
**Takachi, M.** See Yamaguchi, K., 1625
**Takahashi, H.** See Kojima, Y., 1567
**Takahashi, N.** See Tanioka, A., 219
**Takechi, S.**
—; Matsuda, H.: Crosslinking by Etherification of Bisepoxide with Divalent Metal Salts of *p*-Aminobenzoic Acid, 1977
**Takeichi, T.**
—; Takenoshita, H.; Ogura, S.; Inagaki, M.: Carbonization of Polyimide Films: Effect of Cold-Drawing and Chemical Structure, 361
**Takenoshita, H.** See Takeichi, T., 361
**Tam, C. M.** See Dal-Cin, M. M., 783
**Tamai, H.**
—; Sakurai, H.; Yamagiri, T.; Nishiyama, F.; Sakai, H.; Yasuda, H.: Preparation of Ultrafine Metal Particles Supported on Alumina by Pyrolysis of Polymer Complex/Alumina Composites, 1795
—; See Sakurai, H., 1019
**Tamura, K.** See Murase, H., 2051
**Tanaka, H.** See Tsujita, Y., 1297
**Tanioka, A.**
—; Fukushima, N.; Hasegawa, K.; Miyasaka, K.; Takahashi, N.: Permeation of Gases Across the Poly(chloro-*p*-xylylene) Membrane, 219
**Teeäär, R.**
—; Lippmaa, E.; Gravitis, J.; Kokorevics, A.; Kreituss, A.; Zharov, A.: Structural Changes of Cellulose, Wood, and Paper Under

Shear Deformation and High Pressure, 697
**Teegarden, D. M.** See Landry, M. R., 991
**Teramoto, M.** See Matsuyama, H., 1665
**Tesser, R.** See Santacesaria, E., 1371
**Teverovsky, J. B.**
—; Rich, D. C.; Aihara, Y.; Cebe, P.: Effect of Zone Annealing on LARC-CPI Thermoplastic Polyimide, 497
**Thames, S. F.**
—; He, Z. A.: Ultraviolet Curing Acrylated Chlorinated Low-Molecular-Weight Guayule Rubber Wood Filler and Finish, 951
**Thiangchanya, A.**
—; Makuuchi, K.; Yoshii, F.: Degradability Testing of Radiation-Vulcanized Natural Rubber Latex Films, 525
**Tiers, G. V. D.** See Errede, L. A., 669
**Tinçer, T.** See Akin-Öktem, G., 1103, 1115
**Tonelli, C.** See Toselli, M., 2101
**Toselli, M.**
—; Pilati, F.; Fusari, M.; Tonelli, C.; Castiglioni, C.: Fluorinated Poly(butylene terephthalate): Preparation and Properties, 2101
**Tripathy, D. K.** See Kole, S., 1329
**Trulli, F.** See Santacesaria, E., 1371
**Trusbinski, B. J.**
—; Dickson, J. M.; Childs, R. F.; McCarry, B. E.; Gagnon, D. R.: Photochemically Modified Thin-Film Composite Membranes Part II. Bromoethyl Ester, Dioxolan, and Hydroxyethyl Ester Membranes, 1233
**Tsai, Y.**
—; Marrero, T. R.; Yasuda, H. K.: Plasma Polymerization for Self-Curing PMMA Bone Cement (Note), 1773
**Tsujita, Y.**
—; Tanaka, H.; Yoshimizu, H.; Kinoshita, T.; Abe, T.; Kohtoh, N.: Characterization of Alicyclic Polyimides Based on Cyclobutane Ring Dianhydride and Aromatic Diamine, 1297
**Tsukada, M.**
—; Freddi, G.; Minoura, N.; Allara, G.: Preparation and Application of Porous Silk Fibroin Materials, 507
**Tunca, U.**
Aqueous Polymerization of Methyl Methacrylate Initiated by Redox Pair: Ce(IV)–Azo Compounds with Methylol Functional Groups and Synthesis of Copolymers, 1491
**Tung, J. F.** See Hornsby, P. R., 899
**Tweddle, T. A.** See Dal-Cin, M. M., 783
**Tyagi, R.** See Page, C. A., 975

**Uchytil, P.** See Nguyen, X. Q., 2023
**Uddin, M. K.** See Ali, K. M. I., 303
**Ueda, S.** See Ochi, M., 1893
**Unsworth, J.** See Kaynak, A., 269
**Urbańczyk, G.**
—; Lipp-Symonowicz, B.; Jeziorny, A.; Urbaniak-Domagała, W.; Wrzosek, H.: Studies upon the Fine Structure and Selected Physical and Physicochemical Properties of Butyrylchitin Membranes, 1469
**Urbaniak-Domagała, W.** See Urbańczyk, G., 1469

**Valinejad, K.** See Horrocks, A. R., 593
**Varadarajan, T. S.** See Raja, R. A., 827
**Varma, I. K.** See Bharel, R., 2165
**Vasileva, N.** See Godjevargova, T. S., 355
**Vazquez, B.** See Castellano, I., 577
**Vázquez-Torres, H.**
—; Cruz-Ramos, C. A.: Blends of Cellulosic Esters with Poly(Caprolactone): Characterization by DSC, DMA, and WAXS, 1141
**Vepsäläinen, K. P.** See Wan, J. K. S., 25
**Viswanathan, S.** See Somanathan, N., 1537
**Vivier, T.**
—; Xanthos, M.: Peroxide Modification of a Multicomponent Polymer Blend with Potential Applications in Recycling, 569

**Waldron, N.** See Shih, C., 257
**Wan, J. K. S.**
—; Vepsäläinen, K. P.; Ioffe, M. S.: Time-Resolved, Pulsed Laser Sensitized Acoustic Technology: Application to On-Line Sorting of Waste Plastics, 25
**Wang, C.** See Zhang, Q., 515
**Wang, C.-C.** See Lee, S.-D., 1279
**Wang, C.-S.** See Ho, T.-H., 13
**Wang, L.**
—; Feng, L. X.; Xu, J. T.; Yang, S. L.: Studies on $VOCl_3$/$MgCl_2$/NaY/$Al_2Et_3Cl_3$ Complex Support Catalysts for the Copolymerization of Ethylene and Propylene, 1403
**Wang, L. S.**
—; Phalip, P.; Favier, J.-C.; Sigwalt, P.: Attempted Synthesis of Multiblock Copolymers of Butadiene, Styrene, and $\alpha$-Methylstyrene: Effect of Polar Additives on Copolymerizations, 1439
**Wang, S.**
—; Schork, F. J.: Miniemulsion

Polymerization of Vinyl Acetate with Nonionic Surfactant, 2157
**Wenwei, Z.**
—; Li, Y.; Xiaoguang, Z.; Yuefang, Z.; Jiazhen, S.: Radiation Vulcanization of Hydrogenated Acrylonitrile Butadiene Rubber (HNBR), 1199
**Wesslén, B.** See Kober, M., 793
**Whang, W.-T.**
—; Yang, L.-H.; Fan, Y.-W.: Effect of Poly(vinylidene fluoride) on the Ionic Conductivity and Morphology of PEO–Salt Polymer Electrolytes, 923
**White, J. L.** See Kim, P. J., 33
**Willett, J. L.**
Mechanical Properties of LDPE/Granular Starch Composites, 1685
**Wrzosek, H.** See Urbańczyk, G., 1469
**Wu, C.**
A Study of the Degradation of Polyethylene by High-Temperature Dynamic Light-Scattering, 969
**Wu, X.-D.** See Xie, H.-Q., 1079

**Xanthos, M.** See Vivier, T., 569
**Xiao, H.**
—; Xiao, H. X.; Frisch, K. C.; Malwitz, N.: Polyurethane–Urea Anionomer Dispersions. I, 1643
**Xiao, H.** See Deng, Y., 805
**Xiao, H. X.** See Xiao, H., 1643
**Xiao, J. S.** See Xu, M. X., 1659
**Xiaoguang, Z.** See Wenwei, Z., 1199
**Xie, H.-Q.**
—; Wu, X.-D.; Guo, J.-S.: Synthesis and Properties of Two Kinds of Amphiphilic Graft Copolymers with Well-defined Structure, 1079
**Xu, J.** See Zeng, H., 541
**Xu, J. T.** See Wang, L., 1403
**Xu, M. X.**
—; Xiao, J. S.; Zhang, W. H.; Yao, K. D.: Synthesis and Properties of Unsaturated Polyester Diol–Polyurethane Hybrid Polymer Network, 1659

**Yagoubi, N.**
—; Baillet, A.; Legendre, B.; Rabaron, A.; Ferrier, D.: $\beta$-Radiation Effects on PVC Materials: Methodology for Studying Chemical Modifications, 1043
**Yamagiri, T.** See Tamai, H., 1795
**Yamaguchi, K.**
—; Takachi, M.; Hirakawa, S.: Deformation Behavior of Polytetrafluoroethylene Films Under Tensile Stress at Various Temperatures, 1625
**Yamaguchi, S.** See Shonaike, G. O., 881
**Yamamoto, K.**
—; Maehara, T.; Mitani, K.; Mizutani, Y.: Preparation and Application of Low-Molecular-Weight Poly(Vinyl Chloride). 5. Preparation and Characteristics of Blended Poly(Vinyl Chloride) by Two-Step Suspension Polymerization, 1161
**Yamano, H.** See Ogawa, I., 1971
**Yamasaki, A.**
—; Ogasawara, K.; Mizoguchi, K.: Pervaporation of Water/Alcohol Mixtures Through the PVA Membranes Containing Cyclodextrin Oligomer, 867
**Yamauchi, N.** See Yano, S., 163
**Yang, L.-H.** See Whang, W.-T., 923
**Yang, S. L.** See Wang, L., 1403
**Yang, Y.** See Han, Y., 375, 2045
**Yano, S.**
—; Nakamura, K.; Kodomari, M.; Yamauchi, N.: Preparation and Properties of Poly(vinyl acetate)/Silica-Gel Microhybrids, 163
**Yao, K. D.** See Xu, M. X., 1659
**Yashima, E.**
—; Noguchi, J.; Okamoto, Y.: Enantiomer Enrichment of Oxprenolol through Cellulose Tris(3,5-dimethylphenylcarbamate) Membrane, 1087
**Yasuda, H.** See Sakurai, H., 1019; Tamai, H., 1795
**Yasuda, H. K.** See Tsai, Y., 1773
**Yeh, J. T.**
—; Chen, J.-H.; Hong, H.-S.: Environmental Stress Cracking Behavior of Short-Chain Branch Polyethylenes in Igepal Solution under a Constant Load, 2171
**Yen, C.-C.** See Chang, L.-T., 1409
**Yoon, K.-B.** See Lee, D.-H., 1507
**Yoshii, F.** See Thiangchanya, A., 525
**Yoshimizu, H.** See Tsujita, Y., 1297
**Yu, X.** See Chen, Q., 1191; He, X., 207
**Yu, Y. C.**
—; Jo, W. H.: Segmented Block Copolyetheramides Based on Nylon 6 and Polyoxypropylene. I. Synthesis and Characterization, 585
**Yuefang, Z.** See Wenwei, Z., 1199

**Zaldívar, D.** See Peniche, C., 959
**Zaman, M. M.** See Ali, K. M. I., 309
**Zeng, H.**
—; Li, W.; Li, Z.: Studies on a New Water-Soluble Sulfur-Containing Cellulose Derivative, 1989
—; Zhang, Z.; Zhang, M.; Xu, J.;

Jian, N.; Mai, K.: Young's Modulus of Transcrystallinities in Semicrystalline Thermoplastic Composites, 541

**Zhang, G.**
—; Pitt, W. G.; Goates, S. R.; Owen, N. L.: Studies on Oxidative Photodegradation of Epoxy Resins by IR-ATR Spectroscopy, 419

**Zhang, L.**
—; Pan, M.; Tai, H.; Li, X.: Synthesis, Properties and Morphology Based on Polyurethane and Polymethyl Methacrylate AB-Crosslinked Copolymer, 1847

**Zhang, M.** See Zeng, H., 541

**Zhang, Q.**
—; Wang, C.: Polyhydroxybutyrate Produced from Cheap Resources. I. Crystallization and Melting Behavior (Note), 515

**Zhang, W. H.** See Xu, M. X., 1659

**Zhang, Z.** See Zeng, H., 541

**Zharov, A.** See Teeäär, R., 697

**Zhu, H. G.** See Li, Z., 1395

**Žigon, M.** See Mirčeva, A., 2075

**Zimmerman, J. A.** See Davis, C. R., 153

# Journal of Applied Polymer Science

# Subject Index to Volume 54


AB-crosslinked copolymer, 1847
Absorbance spectrum, 1593
Acetone/chloroform spinning system, 1759
Acid/base interaction parameters, 743
Acid-soluble collagen, 1561
Acrylated chlorinated low-molecular-weight guayule rubber (ACLMWGR), 951
Acrylic-based superabsorbents, 241, 251
Acrylonitrile–butadiene–styrene (ABS) materials, 1697
Acrylonitrile-butadiene-styrene (ABS) resin, 763
Activated carbons, 2091
Additives, 793
Additives, chemical environments, 1605
Additives, photo-oxidizing environments, 1605
Adhesion, 113, 1385
Adhesives, 2135
Agar dish test, 859
Air separation, 463
Aldehydes, 1013
Aliphatic amines, 1013
Amine functionality, microbeads, 1631
Amphiphiles, 793
Annealing, 1587
Annealing pressure, 1567
Anti-oil stained ultrafiltration membrane, 125
Aqueous polymerization, 1, 1491
Aqueous polyurethane (PU) dispersions, 1809
Asphalt binders, 231
Attenuated total reflection fourier transform infrared spectrophotometer (ATR–FTIR), 1233, 1279
Avrami exponents, 1223

Bactericides, 859
Batch reactors, 1899, 1919
$\beta$-radiation, 1043
$\beta'$-relaxation, 1893
Biaxially oriented films, 1741
Binary accelerator systems, 1033
Binary systems, 1673, 1919
Biospecific affinity chromatography, 1887
Blend miscibility, 991
Blends, 153, 289, 317, 339, 569, 601, 709, 723, 735, 743, 793, 881, 991, 1059, 1141, 1219, 1223, 1289, 1311, 1329, 1395, 1513, 1525, 1537, 1613, 1697, 1741, 1945, 1955, 2013
Block copolymerization, 207
Block copolymers, 1863, 1997
Blocking, 2075
Brabender torque rheometer, 1115
Branched polyethylenes, 487
Branching, 91
Brominated poly(1-trimethylsilyl-1-propane) (Br–PMSP) membrane, 1353
Bromination of membranes, 1207
Bromo end groups, 1027
Butyrylchitin membranes, 1469

CA-80-15 electrical properties of, 1587
Carbohydrate saccharification, 697
Carbon-black-filled polymers, 1219
Carbon fiber production, 405
Cashew nut shell liquid (CNSL), 1413
Casting–evaporation process, 409
Cationic starch, 1855
Cellulose derivatives, 1989
Cellulose-fiber-reinforced polymer composites (CPC), 2191
Cellulose fibers, 2191
Cellulose filters, 1305
Cellulose, methylation reactions, 519
Cellulose tris(3,5-dimethylphenylcarbamate) (CTPC) membrane, 1087
Chain scission, 593, 1073
Chelating resins, 889
Chemical initiation, 279
Chemical modifications, 1043
Cogswell technique, 487
Cold-drawing, 361
Compatibilization, 1289
Compatibilizer, 1685
Composite membranes, 463
Composites, 73, 113, 201, 419, 439, 533, 541, 561, 1103, 1115, 1243, 1545, 1685, 1721, 1781, 1795, 1803
Compounds, 1073, 1567, 1665
Concentrated emulsion method, 561
Conductive polymers, 1409
Conductivity, of compounds, 1567
Contact angle, 1279
Contact angle data, 1449
Continuous dry spinning–hot drawing process, 1751
Continuous stirred tank reactor (CSTR), 33
Controlled-release drug-delivery systems, 1179
Controlled-release formulations, 1879
Coordination catalysts, 1403
Copolymerization, 191, 2165
Copolymerizations, 1439
Copolymers obtaining with herbicidal activity, 2187
Copper–diamine system, 1339

Core-shell grafting polymerization, 1395
Core-shell rubber, 1059
Core/wall ratio, 1321
Corotating twin-screw extruder, 569, 899
Cosurfactant concentration, 2157
CP-MAS $^{29}$Si-NMR, 1827
Crack initiation, 375
Crack opening displacement (COD), 375
Crack propagation, 815
Crack tip-blunting, 375
Creep, 2119
Crosslinking, 709, 723, 1199, 1977, 2075, 2083
Cross-linking, 367, 533, 1073, 1659
Crystalline films, 497
Crystallinity, 2013
Crystallization, 135, 515, 1223, 1263, 1507
Cure kinetics, 257
Curing, 1073, 1893, 2075
Curing kinetics, 1463
Cyclodextrins (CDs), 867

Damping behavior, 1191
Data treatment problems, 2125
dc conductivity, 1499
dc step-response techniques, 1499
Deformation behavior, 1625
Degradation, 525, 969, 1329, 1579, 1605
Degree of polymerization (DP), 519
Degree of substitution (DS), 519, 1855
Deswelling, 619
Dielectric anisotropy, 553
Differential scanning calorimetry, 457
Differential scanning calorimetry (DSC), 65, 135, 201, 469, 515, 533, 831, 849, 881, 899, 951, 991, 1115, 1141, 1207, 1223, 1297, 1353, 1469, 1525, 1631, 1643, 1741, 1863, 2013, 2033
Differential-scanning calorimetry (DSC), 1945
Differential thermal analysis (DTA), 201, 1499
Diffusion coefficients, 959
Diisocyanates, 1385
Diluents, 309
Dimensional stability, 601
Dip-coating, 975
Dipolar relaxation time, 1587
Discontinuous dry spinning–hot drawing process, 1759
Dispersion, 1809
Drag flow reactor, 33
Drug carriers, 57
Drug release, 507
Drying, 649, 669
Dual-detection size exclusion chromatography (SEC), 2125
Duroplastic encapsulating materials, 129
Duroplastic low-stress molding materials, 83
Dyeing behavior, 1171
Dyeing problems, 2107
Dynamic mechanical analysis (DMA), 1093, 1141, 1525, 1643, 1945, 2033
Dynamic mechanical thermoanalysis (DMTA), 129
Dynamic viscoelasticity, 1297

Elasticity, 487
Elastomers, 831, 1873
Electrical conductivity, of polypyrrole films, 269
Electrochemically synthesized polypyrrole films, 269
Electrolytes, 923
Electron spectroscopy for chemical analysis (ESCA), 793, 1233, 1279, 1631
Electron spin resonance (ESR), 849, 1403
Electronic encapsulation, 13
Electropolymerization, 849
Emulsifier-free emulsion polymerization, 1019
Emulsion copolymerization, 1899, 1919
Emulsion polymerization, 909
Emulsion-cast film, 1809
Enantioselective permeation process, 1087
Energy disperse spectral analyzer (SEM/EDS), 1233
Engineering resins, 1059
Environmental stress cracking, 2171
Enzyme immobilization, 355
EPDM-40 rubber surface, 1385
Epoxy resins, 13, 177, 419, 815, 1463, 1893
Erosion-controlled drug/resin complex, 1179
Etherification, 1977
Evaporation, 649, 669
Evaporation-induced transition, 669
Extruders, 339
Extrusion blow-moldable resins, 1059
Eyring theory, 2045

Facile deuterium labeling method, 257
Fast atom bombardment–mass spectroscopy (MS), 909
Fiberboard, 191
Fiber–matrix interface, 113
Fibers, 73, 113, 289, 303, 405, 439, 735, 1171, 1263, 1721, 1751, 1759, 1767
Fiber/semicrystalline polymer system, 541
Fibrils, 2119
Films, 105, 269, 303, 309, 361, 553, 1263, 1311, 1409, 1625
Filters, 1305
Fine particles, 1019
Fire resistance, 477
Flame retardant elements, 429
Flocculants, 805
Flory-Fox equation, 91
Flory–Huggins theory, 317
Flory–Huggins $\chi$ values, 743
Flory–Rhener expression, 2083
Flow behavior, 487
Fluorescence probe technique, 827
Fluorinated poly(butylene terephthalate) (PBT), preparation, 2101
Foams, 477

Fourier transform infrared (FTIR) spectroscopy, 65
Fourier transform infrared spectroscopy (FTIR), 831, 1631
Fractal symmetry, 935
Free radicals, entry into particles, 909
Free-radical polymerization, 1049
Free volume, 1537
Friedel–Crafts catalysts, 843
Fringed micelles, 1469
Fuchs modification, of extended Smoluckowski coagulation equation, 1423
Functionality, 2125

Gamma irradiation, 805
γ-ray irradiation, 1199
Gas chromatography-mass spectrometry (GC-MS), 257
Gas permeation, 219, 1817
Gas separation, 409
Gas-sweeping pervaporation, 2023
Gas transport, 219, 1817
Gelatin, 1131
Gel permeation chromatography (GPC), 91, 1491
Generalized suspension viscosity equation, 1243
Glass transition temperature ($T_g$), 2045
Glass transition temperature ($T$), 1643
Glass transitions ($T_g$), 2033
Glassy polymers, 409
Glycolysis, 1731
Graft copolymerization, 279, 577, 763, 1131, 1171, 1279
Graft copolymers, 601, 1079, 1123, 1289
Grafting, 125, 577
Granular starch, 1685

Halpin–Tsai equation, 1685
Hard-segment glass transition, 1499
Heat flux differential scanning calorimetry (HF-DSC), 593
Heat resistance, 2063
Heavy metal ion adsorption, 889
Herbicidal activity, 2187
Heterogeneity, 2051
Heterogeneous surfaces, 2051
High-density polyethylenes (HDPE), 1103, 1115
High-performance liquid chromatography (HPLC), 1087, 1371
High-pressure batch reactor, 1339
High-temperature dynamic light-scattering (HTDLS), 969
$^1$H-NMR spectroscopy, 1027
Hollow fiber membranes, 385
Homogeneous nucleation, 1513
Homopolymerization, 1491
Hot drawing, 1767
Hybrid particle composites, 177
Hybrid polymer networks (HPNs), 1659
Hybrids, 163
Hydrogels, 105, 251, 577, 959, 1887
Hydrogen-bond accepting groups, 991
Hydrophilic polymers, 1971
Hydrosilation, 13
Hydrothermal weathering, 1329
Hydroxypropylcellulose (HPC)-water system, 1785

Igepal solution, 2171
Igepal transition time (ITT), 2171
Imidization temperature, 1297
Impact fracture energy absorption, 723
Infrared (IR) spectroscopy, 843, 1127, 1297
Infrared-attenuated total reflectance (IR-ATR) spectroscopy, 419
*In situ* composites, 439
Interfacial microstructure, 73
Interfacial polarization, 1483
Interfacial polymerization, 1321
Intermolecular complex membrane, 1079
Internal pressure, 1537
Interpenetrating polymer networks (IPN), 2147
Interpenetrating polymer networks (IPNs), 367, 1127, 1191
Inverse gas chromatography (IGC), 743
Inverse suspension polymerization, 241, 251
*In vitro* degradability, of fibers, 1751, 1759, 1767
Ion-exchange resins, 1179, 1185
Ionic conductivity, 923

J-integral, 375
Jute fiber-reinforced composites, 1803
Jute fibers, 303

Kenaf, 1781
Kerner equation, 1685
Kevlar–phenolic composites, 113

Lactones, 1123
LARC-CPI thermoplastic polyimides, 497
Larvicide, 1879
Latexes, 561
Latex system, 1395
Lewis acid behavior, 1827
Light-scattering detection, 1455
Lignocellulosic materials, 2091
Limiting oxygen index (LOI), 429
Linear drug release, 1179
Linear viscoelastic constitutive equation, 753
Liquid crystalline polyurethane elastomers (LCPUE), 207
Liquid crystallinity, 1785
Liquid crystal polymers (LCPs), 735, 873
Liquid crystal polymers (LCPs), through-thickness distribution, 881
Liquid–liquid phase separation, 1263
Low-molecular-weight guayule rubber (LMWGR), 951

Matrix tensile strength, 1773
Maxwell relation, 553
Mayo–Lewis copolymerization model, 959
Melt annealing, 1513
Melt crystallization, 65

Melting, 515
Melting behavior, 457
Melt polymerization, 585
Melt transesterification, 1371
Membrane-based air-separation technology, 463
Membranes, 125, 355, 463, 469, 783, 1233, 1263, 1665
Membranes, bromination, 1207
Metallocene derivatives, 1019
Metal replacement, 2191
Metal substrates, 1789
Methylation reactions, of cellulose, 519
Micellar/homogeneous nucleation, 2157
Microbeads, 1631
Microcapsules, 1321
Microelectronic devices, 153
Microenvironmental information on supports, 1403
Microphase separation, 83
Miniemulsion polymerization, 2157
Miscible blends, 317
MMA-EPDM-St graft terpolymers (MES), 763
Modular corotating twin screw extruder, 33
Molar mass distribution (MMD), 47
Molecular motions, 1093
Molecular orientation, 553
Molecular weight, 91, 1339, 1455, 1469, 1651, 2125
Monodisperse polymer particles, 1363
Monomer feed policy, 1899
Monomers, 1013
Multiacrylate systems, 2147
Multiangle laser light scattering (MALLS) detector, 91
Multiblock copolymers, 1439
Mutual irradiation method, 1131

*N*-aryl maleimides, 2165
Natural fibers, 1781
Natural rubber (NR), 1033
Nonionic flocculants, 805
Nonionic surfactants, 2157
Non-Markovian diffusion processes, 753
Novel crosslinking systems, 709, 723
Nuclear magnetic resonance (NMR) spectroscopy, 959
Nucleating agents, 1507
Nucleation, 1513
Nylon 6,6, 135
Nylon 6 particles, 1363

Oligomers, 1013
On-line sorting, 25
Optical anisotropy, 553
Optical transmission, 1847
Organic chelating agent, 1
Orientated polypropylene tapes, 593
Owen and Wendt's equation, 1449
Oxidation, 405, 593, 1651, 1789
Oxidative photodegradation, 419

Parallel-plate capacitors, 553
Particles, 1019
Particle toughening, 177
Particulate reinforced composites, 1243
Pavement distress, 231
Peak broadening, 47
Pectin/starch films, 1311
PEO–salt polymer electrolytes, 923
Perfluoropolyether (PFPE), as comonomer, 2101
Perlite content, 1103, 1115
Permeability, 1079, 1965
Permeation, 219
Peroxide modification, 569
Pervaporation, 385, 867, 975, 1937, 2023
PET matrix systems, 289
pH, 1561
Phase-inversion, 355
Phase inversion, 1613
Phase segregation, 935
Phase separation, 831, 1363, 1513, 1525
Phase-separation temperatures, 317
Phase transitions, in polymer solutions, 1263
Phenol–formaldehyde (PF), 429
Phenolic resins, 429
Photochemically modified thin-film composite membranes, 1233
Photodegradation, 419
Photoinitiation, 279
Photopolymerization, 2147
Plasma-induced graft polymerization, 1279
Plasma polymerization, 1773
Plasma polymerized membranes, 1665
Plasticizers, 303
Plastic recycling plant, 25
Plug flow reactor, 33
Polar additives, 1439
Polarized microscopy, 1741
Polarized optical microscopy (POM), 135
Polarizing microscopy, 533
Polarizing optical microscopy, 1141
Polyamide 6, 899
Polyamides, 2063
Polyarylates, 1093
Polyblend fibers, 735, 873
Polycations, 65
Poly(ether urethane) (PEU)-Nylon 6 block copolymer, phase behavior, 1997
Polyethylene (PE) coatings, 1789
Poly(ethylene terephthalate) (PET) melts, 1731
Polyflavonoid tannins, 1827
Polyhydroxybutyrate production, 515
Polyimide foams, 477
Polyimides, 2063
Polyion complex films, 105
Polyion complex membranes, 65
Polymer/additive systems, 743
Polymeric bactericides, 859
Polymeric membrane processes, 1207
Polymerizing monomer droplets, 1423
Polymer–liquid interactions, 1673
Polymer–liquid systems, 669
Polymer matrix, 827
Polymer metal chelate films, 1409
Polymer mixtures, 1449
Polymer–polymer compatibility, 1537

Polymer–water affinity, 105
Polymer wear, 771
Polyolefins, 231
Polyolefin–wood filler composite, 1545
Polypyrrole (PPY), chain stability, 1483
Polypyrrole (PPY), chemical modification, 1483
Polypyrrole (PPY)modification, 843
Polypyrrole films, 269
Poly(styrene-co-divinylbenzene)–liquid systems, 649
Polystyrene–liquid systems, 619
Polyurethane (PU) foams, 935
Polyurethane aqueous systems, 2075
Polyurethane block polymers, 1499
Polyurethane elastomers, 831
Polyurethane–urea anionomer dispersions, 1643
Polyurethane–urea microcapsules, 1321
Poly(vinyl chloride) with relatively lower molecular weight (LMW-PVC), 1161
Porous silk fibroin materials, 507
Positive temperature coefficient (PTC), 1219
Post-consumer plastics containers, 569
Preirradiation method, 1171
Pressure molding, 2013
Pressure reactor, 1731
Primary particle-size distribution, 1423
Proton-exchange membranes, 469
Pulse radiolysis, 1049
Pure chloroform spinning system, 1759
PVDF/PPy composites, 201
Pyrolysis, 1795

Quantitative functionalization, 1027

Radel R5000 membranes, 783
Radiation-induced graft copolymerization, 469
Radiation-induced grafting, 1131
Radiation vulcanization, 1199
Radiation-vulcanized natural rubber latex (RVNRL) films, 525
Radiosterilization, 1043
Reaction efficiency (RE), 1855
Reactive extrusion, 899
Reactive extrusion process, 1855
Recycling, 569
Redox polymerization, 1491
Reducing agents, 1491
Renewable resources, 1413
Resin droplets, 73
Resins, 83, 333, 815, 889, 1059, 1185, 1413, 1463, 1575, 1659, 1893, 1977, 2091
Reversible phase transition, 1785
Rheometrics RSA II solids analyzer, 1311
Rigid particle composites, 177
Ring-opening copolymerization, 1123
Rolling contact, 771
Room-temperature kinetics, 1127
Rubber-surface modifiers, 1385
Rubbers, viscoelastic behavior, 1873
Rubber-toughened blends, 1697
Rubber toughened composites, 561

Sanchez–Lacombe theory, 317
Scanning electron micrography (SEM), 843
Scanning electron microscopy (SEM), 13, 409, 771, 881, 1103, 1233, 1279, 1525, 1631, 1741, 1945
Segmented block copolyetheramides, 585
Self-curing PMMA bone cement, 1773
Separation of $O_2$ over $N_2$, 1665
Sequential polymerization, 367
Shear deformation under high pressure (SDHP), 697
Short-chain branch polyethylenes (SBPEs), 2171
Silica-gel microhybrids, 163
Silicone-modified resins, 815
Silicone pressure-sensitive adhesives (PSAs), 2135
Silicone rubber degradation, 1329
Silk fibroin, 507
Simultaneous Interpenetrating Networks (SINs), 1191
Single-step dyeing and finishing (SDF) process, 2107
Size distribution, 91
Size-exclusion chromatography (SEC), 1455
Size exclusion chromatography (SEM), 47
Slow crack growth, 2119
Small-angle light scattering (SALS), 533
Small-angle x-ray scattering (SAXS), 935
Soft-segment glass transition, 1499
Sol-gel process, 163
Solid-phase oxidation, 1789
Solid-state NMR relaxation experiments, 83
Solution–diffusion, 219
Solvent casting, 1525, 2013
Solvent evaporation time, 1937
Solvent exchange processes, 619
Solvent mixtures, 2023
Solvent precipitation, 135
Solvents, 457
Sorption kinetics, 753
Spherical cross-linked dextran (Sephadex), 1971
Spherulites, 1507, 1513
Spin-coating, 975
Spin diffusion experiments, 83
Spinning, 385
Spinning, in different vapor precipitants, 1767
Spinning solution composition, 1751
Stabilizers, 1605
Starch volume fraction $\phi$, 1685
Steady-state radiolysis, 1049
Step-growth polymerization, 1013
Stereolithography, 1575
Strain amplitude, 1721
Stress, 129
Stretched exponential relaxation function, 753

Structure/permeability correlations, of polyamide-imides, 1965
Sulfur-containing cellulose derivative, 1989
Sulfur vulcanization, 1033
Sulfur-vulcanized natural rubber latex (SVNRL) films, 525
Superabsorbents, 241, 251
Surface free energies, of polymer mixtures, 1449
Surface interaction, between polymers and water, 2051
Surface-modifying macromolecules (SMM), 1937
Surface-treated filters, 1305
Suspended particles, 1243
Swelling, 577, 619, 1673, 1803, 1971, 2083
Synthetic polyamides (nylons), degradation, 1579
Synthetic resins, 1185

Tannin autocondensation, 1827
Tannins, 1827
Teflon membrane filter, 1087
Tensile strength, 1103
Tensile stress, 1625
Tensile stress-strain, 1469
Ternary systems, 1673, 1919
Thermal decomposition, 1977
Thermal denaturation temperature, 1561
Thermal gravimetric analysis (TGA), 429
Thermally stimulated current (TSC), 1587
Thermally stimulated depolarization current (TSDC) studies, 1955
Thermally stimulated depolarization current method (TSDC), 831
Thermal oxidation, 1651
Thermal stability, 153, 477, 1171
Thermogravimetric analysis (TGA), 849, 1171, 1499, 1631, 1879
Thermomechanical analysis (TMA), 129, 1625
Thermomicroscopy, 2013
Thermoplastic elastomer (TPE), 585
Thermosensitive resins, 1575
Thermosetting resins, 1413, 1659
Thermo-stereolithography (TSLO), 1575
Thermotropic liquid crystalline polymers (TLCPs), 439
Thin-film composite membranes, 1233
Thin-layer chromatography (TLC), 1
Titanate coupling agents, 113
Total apparent absorbance, 1593
Transcrystallinities, 541
Transesterification, 33, 2083
Transient permeation, 1817
Transmission electron microscopy (TEM), 339, 533, 935, 1191
Transport, of solvent mixtures, 2023
Triazine derivatives, 2187
Twin-screw extrusion, 1741
Two-stage drawing, 873
Two-stage method, 1409
Two-step suspension polymerization, 1161

Ultrafiltration (UF), 125
Ultrafiltration membranes, 783
Ultrafine metal particles, 1795
Ultrasound, 1537
Ultraviolet-cured films, 303, 309
Uniaxial extension analysis, 207
Uniaxial tension tests, 2045
Universal calibration curve, 1455
Universal testing machine, 1741
Uranium, adsorption from seawater, 333
UV absorber (UVA), 1593
UV/visible spectrophotometry, 1593

Vinyl silicone crosslinkers, 2135
Viscometery, 65
Viscosity, 1537
Viscosity ratio, 1613
Vulcanizates, 1033
Vulcanization, 1199
Vulcanized elastomer, 1873

Waste plastics, 25
Water–alcohol mixtures, 65
Water/alcohol mixtures, 867
Water extraction, 585
Water lubrication, 771
Water-soluble polyamides, 57
Wavelength independent sensor, 25
Well-defined polystyrene (PS) grafts, 1079
Wide angle X-ray diffraction (WAXD), 899
Wide-angle X-ray scattering (WAXS), 135, 1141
Wide-angle X-ray spectroscopy (WAXS), 1525
WLF equation, 1073
Wood coatings, 951
Wood composites, 191
Wood delignification, 697
Wood fibers, 1545

X-ray diffraction, 2013
X-ray diffractometry (XRD), 65

Yield energy, 2045
Yield stress, 2045
Young's modulus, 541

Zeolites, 409
Zone annealing, 497